

Attorney Docket: 01098
U.S. Application No.: 10/743,358 Examiner: Loo Art Unit: 2609
Response to March 13, 2008 Final Office Action

RECEIVED
CENTRAL FAX CENTER

AMENDMENT TO THE CLAIMS

JUN 06 2008

[c01] (Currently Amended) A method of providing communications services, comprising:

logically bonding a first physical medium to a subscriber's premise
~~communications device~~;

connecting a second physical medium to the subscriber's premise
~~communications device~~;

connecting the second physical medium to another subscriber's premise
~~communications devices~~;

sharing the second physical medium amongst the subscriber's premise and the
another subscriber's premise subscribers;

receiving a request for communications service from the subscriber's premise
~~communications device~~;

when the requested communications service exceeds an available bandwidth of
the first physical medium, then temporarily logically bonding the second physical
medium to the subscriber's premise ~~communications device~~ to provide additional
bandwidth, such that first physical medium and the second physical medium share a
session of information;

providing the requested communications service via the logically bonded first
physical medium and the temporarily logically bonded second physical medium; and

when the additional bandwidth is no longer needed, removing the temporary
logical bonding of the second physical medium; and

reverting the second physical medium to its shared configuration, thus allowing
the another subscriber to receive increased bandwidth when required.

[c02] (Previously Presented) A method according to claim 1, wherein logically bonding the
first physical medium comprises logically bonding a twisted pair.

Attorney Docket: 01098
U.S. Application No.: 10/743,358 Examiner: Loo Art Unit: 2609
Response to March 13, 2008 Final Office Action

- [c03] (Previously Presented) A method according to claim 1, wherein logically bonding the first physical medium comprises logically bonding a coaxial cable.
- [c04] (Previously Presented) A method according to claim 1, wherein logically bonding the first physical medium comprises logically bonding a fiber optic cable.
- [c05] (Previously Presented) A method according to claim 1, wherein providing the requested communications service comprises transmitting signals via at least one of i) a combination of a twisted pair and a coaxial cable, ii) a combination of a twisted pair and a fiber optic cable, and iii) a combination of a coaxial cable and a fiber optic cable.
- [c06] (Currently Amended) A method according to claim 1, further comprising temporarily logically bonding additional physical media to the subscriber's premise, each additional physical media dynamically shared with the another subscriber's premise to provide additional bandwidth.
- [c07] (Previously Presented) A method according to claim 1, providing the requested communications service comprises transmitting signals via a shared twisted pair.
- [c08] (Currently Amended) A method according to claim 1, further comprising temporarily logically bonding n physical media to the subscriber's premise, such that first physical medium and the n physical media share the same session of information.
- [c09] (Currently Amended) A method of providing communications services, comprising:

configuring a first twisted pair to provide Digital Subscriber Line service to a subscriber's premise destination;

configuring a second twisted pair for shared Digital Subscriber Line service amongst the subscriber's premise destination and another subscriber's premise destination;

Attorney Docket: 01098
U.S. Application No.: 10/743,358 Examiner: Loo Art Unit: 2609
Response to March 13, 2008 Final Office Action

receiving a request for communications service;
transmitting digital subscriber line signals to the subscriber's premise destination
via the first twisted pair;

when the requested communications service exceeds an available bandwidth of
the first twisted pair, then temporarily logically bonding the second twisted pair to the
subscriber's premise destination to provide additional bandwidth;

providing the requested communications service via the logically bonded first
twisted pair and the temporarily logically bonded second twisted pair; and

when the additional bandwidth is not needed, removing the temporary logical
bonding of the second twisted pair; and

reverting the second twisted pair to its shared configuration, thus allowing the
another subscriber's premise destination to receive increased bandwidth when required.

[c10] (Previously Presented) A method according to claim 9, further comprising sharing the
same session of information.

[c11] (Currently Amended) A method according to claim 9, further comprising connecting the
second twisted pair and the first twisted pair to the subscriber's premise destination, such
that first twisted pair and the second twisted pair share the same session of information.

[c12] (Currently Amended) A method according to claim 9, further comprising transmitting the
digital subscriber line signals to the subscriber's premise destination via a third twisted
pair, the third twisted pair shared amongst the subscriber's premise destination and the
another subscriber's premise destination, the third twisted pair providing more additional
bandwidth.

[c13] (Currently Amended) A method according to claim 9, further comprising instructing a
network device to logically bond the second twisted pair and the first twisted pair when
transmitting the digital subscriber line signals to the subscriber's premise destination,

Attorney Docket: 01098
U.S. Application No.: 10/743,358 Examiner: Loo Art Unit: 2609
Response to March 13, 2008 Final Office Action

such that first twisted pair and the second twisted pair share the same session of information.

[c14] (Currently Amended) A method according to claim 9, further comprising logically bonding n twisted pairs to the first twisted pair when transmitting the digital subscriber line signals to the subscriber's premise destination, such that first twisted pair and the n twisted pairs share the same session of information.

[c15] (Previously Presented) A method of providing communications services, comprising:

receiving a request for communications services from a client communications device;

logically bonding a first physical medium to the client communications device;

temporarily logically bonding a second physical medium to the client communications device, the second physical medium being dynamically shared amongst multiple client communications devices to provide additional bandwidth when required;

providing the communications services via the logically bonded first physical medium and the second physical medium; and

when the additional bandwidth is no longer needed, reverting the second physical medium to its shared configuration, thus allowing another customer to receive increased bandwidth when required.

[c16] (Previously Presented) A method of providing communications services, comprising:

receiving a request for communications service;

downloading media content in response to the requested communications service;

when the requested communications service exceeds an available bandwidth of a first physical medium, then temporarily logically bonding a second physical medium to provide additional bandwidth;

Attorney Docket: 01098
U.S. Application No.: 10/743,358 Examiner: Loo Art Unit: 2609
Response to March 13, 2008 Final Office Action

downloading the media content via the first physical medium and the temporarily
logically bonded second physical medium; and

when the additional bandwidth is no longer needed, reverting the second physical
medium to a shared configuration, thus allowing another requestor to receive increased
bandwidth when required.